Reviewed on 03/25/2019



Safety Data Sheet acc. to OSHA HCS

Version Number 2

Printing date 03/25/2019

1 Identification

· Product identifier

· Trade name: Diethylene Glycol Monomethyl Ether

- · Part number: WRK-1900
- · CAS Number:
- 111-77-3
- EC number:
- 203-906-6
- **Index number:** 603-107-00-6
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: China Amines Co., Ltd UNIT 1021, BEVERLEY COMMERCIAL CENTRE, 87-105CHATHAM ROAD SOUTH, TSIM SHA TSUI, KOWLOON HONG KONG
- **Information department:** Telephone:+86 18938922889 e-mail: info@chinaamines.com

• Emergency telephone number: +86 18938922889

2 Hazard(s) identification

· Classification of the substance or mixture



Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
- GHS08

· Signal word Warning

- Hazard-determining components of labeling: 2-(2-methoxyethoxy)ethanol
 Hazard statements Combustible liquid.
 Suspected of damaging fertility or the unborn child.
 Precautionary statements Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
- Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

^{*}



Printing date 03/25/2019

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 03/25/2019

(Contd. of page 1)

Trade name: Diethylene Glycol Monomethyl Ether

IF exposed or concerned: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4) Health = 0

Fire = 2 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 111-77-3 2-(2-methoxyethoxy)ethanol
- · Identification number(s)
- EC number: 203-906-6
- · Index number: 603-107-00-6

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

CHINA AMINES

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/25/2019

Printing date 03/25/2019

Version Number 2

Trade name: Diethylene Glycol Monomethyl Ether

(Contd. of page 2)

· Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 3.4 ppm · PAC-2: 37 ppm · PAC-3: 220 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US •

JΔ AMINES

Printing date 03/25/2019

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 03/25/2019

Trade name: Diethylene Glycol Monomethyl Ether

(Contd. of page 3)

exceeding 4 hrs. Supplier recommend • Material of gloves For normal use: nitrile rubber, 11-13 r	
For direct contact with the chemical: b	
varies from manufacturer to manufact	
· Penetration time of glove material	
For normal use: nitrile rubber: 1 hour	
For normal use: nitrile rubber: I hour For direct contact with the chemical: b	
For direct contact with the chemical: b	butyl rubber: >4 hours
	butyl rubber: >4 hours
For direct contact with the chemical: b	butyl rubber: >4 hours
For direct contact with the chemical: b • Eye protection: Goggles recommended	butyl rubber: >4 hours led during refilling.
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper	butyl rubber: >4 hours led during refilling. 'ties
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c	butyl rubber: >4 hours led during refilling. 'ties
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information	butyl rubber: >4 hours led during refilling. 'ties
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance:	butyl rubber: >4 hours led during refilling. rties chemical properties
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form:	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color:	butyl rubber: >4 hours led during refilling. Ties Chemical properties Fluid Colorless
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor:	butyl rubber: >4 hours led during refilling. Ties Chemical properties Fluid Colorless Light
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color:	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid Colorless Light Not determined.
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor:	butyl rubber: >4 hours led during refilling. Ties Chemical properties Fluid Colorless Light
For direct contact with the chemical: b • Eye protection: Goggles recommended 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid Colorless Light Not determined.
For direct contact with the chemical: b • Eye protection: Goggles recommended 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid Colorless Light Not determined.
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	butyl rubber: >4 hours led during refilling. Ties Chemical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F)
For direct contact with the chemical: b • Eye protection: Goggles recommender • Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range:	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F) 194.2 °C (381.6 °F)
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point:	butyl rubber: >4 hours led during refilling. ties themical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F) 194.2 °C (381.6 °F) 91 °C (195.8 °F)
For direct contact with the chemical: b • Eye protection: Goggles recommender • Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range:	butyl rubber: >4 hours led during refilling. rties chemical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F) 194.2 °C (381.6 °F)
For direct contact with the chemical: b • Eye protection: Goggles recommender 9 Physical and chemical proper • Information on basic physical and c • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point:	butyl rubber: >4 hours led during refilling. ties themical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F) 194.2 °C (381.6 °F) 91 °C (195.8 °F)
For direct contact with the chemical: b • Eye protection: Goggles recommended • Physical and chemical proper • Information on basic physical and c • General Information • Appearance: • Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Flammability (solid, gaseous):	butyl rubber: >4 hours ed during refilling. ties chemical properties Fluid Colorless Light Not determined. Not determined. -85 °C (-121 °F) 194.2 °C (381.6 °F) 91 °C (195.8 °F) Not applicable.



Safety Data Sheet acc. to OSHA HCS

Printing date 03/25/2019

Version Number 2

Reviewed on 03/25/2019

Trade name: Diethylene Glycol Monomethyl Ether

		(Contd. of page 4)	
• Danger of explosion:	Not determined.		
· Explosion limits:			
Lower:	1.6 Vol %		
Upper:	16.1 Vol %		
· Vapor pressure at 20 °C (68 °F):	0.24 hPa (0.2 mm Hg)		
· Density at 20 °C (68 °F):	1.03 g/cm ³ (8.59535 lbs/gal)		
· Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic at 20 °C (68 °F):	3.9 mPas		
Kinematic:	Not determined.		
Organic solvents:	100.0 %		
VOC content:	100.00 %		
	1,030.0 g/l / 8.60 lb/gal		
• Other information	No further relevant information available.		

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

111-77-3 2-(2-methoxyethoxy)ethanol

Oral LD50 5,500 mg/kg (rat)

- Dermal LD50 6,540 mg/kg (rabbit)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US



Printing date 03/25/2019

Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 03/25/2019

Trade name: Diethylene Glycol Monomethyl Ether

(Contd. of page 5)

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

·NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	not regulated	



Safety Data Sheet acc. to OSHA HCS

Printing date 03/25/2019

Version Number 2

Reviewed on 03/25/2019

Trade name: Diethylene Glycol Monomethyl Ether

		(Contd. of page 6)
 Packing group DOT, IMDG, IATA 	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
[·] Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed. • TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

 \cdot Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 03/25/2019 / 1

US



Safety Data Sheet acc. to OSHA HCS

Version Number 2

Reviewed on 03/25/2019

Trade name: Diethylene Glycol Monomethyl Ether

· Abbreviations and acronyms:

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Repr. 2: Reproductive toxicity - Category 2 * * Data compared to the previous version altered.