Safety data sheet acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



date of compilation: 2023-03-06 Revision: 2024-03-01

article number: **209L** Version: **GHS 2.0 en** Replaces version of: 2023-03-06 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

thesis

209L

1569-01-3

Identification of the substance

Article number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Propylene glycol propyl ether ≥99 %, for syn-

1.3 Details of the supplier of the safety data sheet

China Amines Co., Ltd UNIT 1021, BEVERLEY COMMERCIAL CENTRE, 87-105CHATHAM ROAD SOUTH, TSIM SHA TSUI, KOWLOON HONG KONG

Telephone:+86 18938922889 e-mail: info@chinaamines.com Website:www.chinaamines.com

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

info@chinaamines.com

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
China Amines Co., Ltd	UNIT 1021, BEVERLEY COMMERCIAL CENTRE, 87- 105CHATHAM ROAD SOUTH, TSIM SHA TSUI, KOWLOON HONG KONG	2145 West- mead, NSW	+86 18938922889	www.chinaamines.com

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Section Hazard class		Hazard class and category	Hazard statement
2.6	2.6 Flammable liquid		Flam. Liq. 3	H226
3.3 Serious eye damage/eye irritation		2A	Eye Irrit. 2A	H319

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis

article number: 209L

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS02, GHS07



Hazard statements

H226	Flammable liquid and vapour
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water or shower
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Propylene glycol propyl ether
Molecular formula	$C_6H_{14}O_2$
Molar mass	118.2 ^g / _{mol}
CAS No	1569-01-3



acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Irritation

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DN	Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	263 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	82.5 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	

Environmental values

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.01 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	4 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	0.386 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0.039 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.018 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

8.2 Exposure controls

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties			
	Physical state	liquid		
	Colour	colourless		
	Odour	like ether		
	Melting point/freezing point	-70 °C at 1,013 hPa (ECHA)		
	Boiling point or initial boiling point and boiling range	149.4 °C at 1,013 hPa (ECHA)		
	Flammability	flammable liquid in accordance with GHS criteria		
	Lower and upper explosion limit	1.3 vol% (LEL) - 10.6 vol% (UEL)		
	Flash point	46 °C at 1,013 hPa (c.c.)		
	Auto-ignition temperature	252 °C at 1,013 hPa (ECHA)		
	Decomposition temperature	not relevant		
	pH (value)	not determined		
	Kinematic viscosity	not determined		
	Dynamic viscosity	2.389 mPa s at 298.2 °C		
	Solubility(ies)			
	Water solubility	(soluble)		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	0.621 (pH value: 7, 20 °C) (ECHA)		
	Vapour pressure	3.8 hPa at 25 °C		
	Density and/or relative density			
	Density	0.88 ^g / _{cm³} at 25 °C (ECHA)		
	Relative vapour density	Information on this property is not available.		
	Particle characteristics	not relevant (liquid)		
	Other safety parameters			
	Oxidising properties	none		
9.2	Other information			
	Information with regard to physical hazard classes:	There is no additional information.		
	Other safety characteristics:	There is no additional information.		

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2,490 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	3,775 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>100 ^{mg} /l	fish	ECHA	96 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2.302 ^{mg}/_{mg} Theoretical Carbon Dioxide: 2.234 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
DOC removal	9.8 %	4 d		

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis

article number: 209L



12.3 Bioaccumulative potential Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

0.621 (pH value: 7, 20 °C) (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

	UN RTDG	UN 1993
	IMDG-Code	UN 1993
	ICAO-TI	UN 1993
UN proper shipping name		
	UN RTDG	FLAMMABLE LIQUID, N.O.S.
	IMDG-Code	FLAMMABLE LIQUID, N.O.S.

14.2

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

articl	ticle number: 209L		
	ICAO-TI	Flammable liquid, n.o.s.	
	Technical name	Propylene glycol propyl ether	
14.3	Transport hazard class(es)		
	UN RTDG	3	
	IMDG-Code	3	
	ICAO-TI	3	
14.4	Packing group		
	UN RTDG	III	
	IMDG-Code	III	
	ICAO-TI	III	
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations	
14.6	Special precautions for user		
	There is no additional information.		
14.7	Transport in bulk according to IMO instrumen The cargo is not intended to be carried in bulk.	its	
14.8	Information for each of the UN Model Regulat	tions	
	Transport informationNational regulationsAdditional information(UN RTDG)		
	UN number	1993	
	Class	3	
	Packing group	III	
	Danger label(s)	3	
	Special provisions (SP)	223, 274 UN RTDG	
	Excepted quantities (EQ)	E1 UN RTDG	
	Limited quantities (LQ)	5 L UN RTDG	
	Emergency Action Code	ЗY	
	International Maritime Dangerous Goods Cod	e (IMDG) - Additional information	
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.	
	Particulars in the shipper's declaration	UN1993, FLAMMABLE LIQUID, N.O.S., (Propylene glycol propyl ether), 3, III, 46°C c.c.	
	Marine pollutant	-	
	Danger label(s)	3	

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Special provisions (SP)	223, 274, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
Stowage category	A
International Civil Aviation Organization (ICAO-I	ATA/DGR) - Additional information
Proper shipping name	Flammable liquid, n.o.s.
Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (Propylene glycol propyl ether), 3, III
Danger label(s)	3
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Country	Inventory	Status
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NCI NCI NZIOC PICCS REACH Reg. TCSI	ICAustralian Inventory of Industrial ChemicalsCRChemical Inventory and Control RegulationSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)SLDomestic Substances List (DSL)SIEC Substance Inventory (EINECS, ELINCS, NLP)CSCInventory of Existing Chemical SubstancesSQNational Inventory of Chemical SubstancesSCIKorea Existing Chemicals InventoryCINational Chemical InventoryCINational Chemical InventoryCINational Chemicals InventoryCINew Zealand Inventory of ChemicalsCCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)ACH Reg.REACH registered substancesCSITaiwan Chemical Substances	

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

acc. to Safe Work Australia - Code of Practice

Propylene glycol propyl ether ≥99 %, for synthesis



article number: 209L

Abbr.	Descriptions of used abbreviations
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.