

SAFETY DATA SHEET

Creation Date 04-Feb-2010

Revision Date 24-Dec-2021

Revision Number 7

1. Identification

Product Name

1,2-Dichloroethane

Cat No. :	E175-4; E175-20; E175-500; E175RS-19; E175RS-50; E190-4
CAS No	107-06-2
Synonyms	Ethylene dichloride; Ethylene chloride (Certified ACS/Spectranalyzed)
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company China Amines Co., Ltd UNIT 1021, BEVERLEY COMMERCIAL CENTRE, 87-105CHATHAM ROAD SOUTH, TSIM SHA TSUI, KOWLOON HONG KONG Tel: +86 18938922889

Emergency Telephone Number	+86 18938922889
	10000022000

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system (C	NS).
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Kidney, Liver, Heart, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed Causes skin irritation Causes serious eye irritation Toxic if inhaled May cause respiratory irritation May cause drowsiness or dizziness May cause cancer May cause damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Г

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients				
Component		CAS No	Weight %	
Ethylene dichloride		107-06-2	>95	
	4.	First-aid measures		
General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention i required.			ance. Immediate medical attention is	
Eye Contact		iately with plenty of water, also under edical attention is required.	the eyelids, for at least 15 minutes.	
Skin Contact	Wash off imn attention is re	nediately with plenty of water for at lea equired.	st 15 minutes. Immediate medical	
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.			
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.			
Most important symptoms and effects	Difficulty in breathing. May cause cardiac arrhythmia. May cause central nervous system depression: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock			
Notes to Physician	Treat symptomatically			
	5. Fi	re-fighting measures		
Suitable Extinguishing Media		carbon dioxide (CO2), dry chemical, a ool closed containers.	alcohol-resistant foam. Water mist may	
Unsuitable Extinguishing Media	Water may b	e ineffective		
Flash Point	13 °C / 55.	4 °F		
Method -	No informatic	n available		
Autoignition Temperature	440 °C / 82	24 °F		
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge				

Specific Hazards Arising from the Chemical Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 3	Instability 0	Physical hazards N/A			
	6. Accidental re	lease measures				
Personal Precautions	people away from and upw sources of ignition. Take p	vind of spill/leak. Ensure adeq recautionary measures agains	st static discharges.			
Environmental Precautic	ons Should not be released interview Information.	o the environment. See Section	on 12 for additional Ecological			
Methods for Containmer Up	nt and Clean Soak up with inert absorbe Remove all sources of igni		closed containers for disposal. ad explosion-proof equipment.			
	7. Handling and storage					
Handling	clothing. Do not ingest. If s under a chemical fume how flames, hot surfaces and s of vapors by static electrici	wallowed then seek immedia od. Do not breathe mist/vapor ources of ignition. Use only no	o not get in eyes, on skin, or on te medical assistance. Use only s/spray. Keep away from open on-sparking tools. To avoid ignition if the equipment must be grounded.			
Storage.			ntilated place. Keep away from oxidizing agents. Bases. Alkali			

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethylene dichloride	TWA: 10 ppm	(Vacated) TWA: 1 ppm	IDLH: 50 ppm	TWA: 40 mg/m ³
		(Vacated) TWA: 4 mg/m ³	TWA: 1 ppm	
		Ceiling: 100 ppm	TWA: 4 mg/m ³	
		(Vacated) STEL: 2 ppm	STEL: 2 ppm	
		(Vacated) STEL: 8 mg/m ³	STEL: 8 mg/m ³	
		TWA: 50 ppm	_	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	in the one of the properties
Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	400 ppm
рН	No information available
Melting Point/Range	-35 °C / -31 °F
Boiling Point/Range	81 - 85 °C / 177.8 - 185 °F
Flash Point	13 °C / 55.4 °F
Evaporation Rate	6.5 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	15.9 vol %
Lower	6.2 vol %
Vapor Pressure	65 mmHg @ 29 °C
Vapor Density	3.4
Specific Gravity	1.250
Solubility	Insoluble in water
Partition coefficient; n-octanol/wa	ater No data available
Autoignition Temperature	440 °C / 824 °F
Decomposition Temperature	No information available
Viscosity	0.8 mPa s at 20 °C
Molecular Formula	C2 H4 Cl2
Molecular Weight	98.96

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents, Bases, Alkali metals		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene dichloride	625 mg/kg (Rat)	2800 mg/kg (Rabbit)	28.79 mg/L(Rat)1h
	413 mg/kg (Mouse)		7.8 mg/l (Rat) 4h
Toxicologically Synergistic	No information available		

Toxicologically Synergistic

Products

Irritation		Irritating to eyes, respiratory system and skin				
Sensitization		No information available				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen.			as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylene dichloride	107-06-2	Group 2B	Reasonably Anticipated	Not listed	Х	Not listed
IARC (International A		arch on Cancer)	Group 1 - C Group 2A - Group 2B - NTP: (Natio Known - Kn		ns nic to Humans ic to Humans	be a Human
Mutagenic Effects		No information ava				
Reproductive Effects		No information ava	ailable.			
Developmental Effects		No information ava	ailable.			
Teratogenicity		No information ava	ailable.			
STOT - single exposure STOT - repeated expos		Respiratory system Central nervous system (CNS) Kidney Liver Heart Blood				
Aspiration hazard		No information ava	ailable			
Symptoms / effects,bo delayed	oth acute and	nd May cause central nervous system depression: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock				
Endocrine Disruptor In	formation	No information available				
Other Adverse Effects		The toxicological properties have not been fully investigated.				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Ethylene dichloride	EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 166 mg/L, 96h static (Desmodesmus subspicatus)	LC50: 230 - 710 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 110 - 123 mg/L, 96h flow-through (Pimephales promelas) LC50: = 225 mg/L, 96h static (Oncorhynchus mykiss)		EC50: 140 - 190 mg/L, 48h Static (Daphnia magna)	
Persistence and Degradability Persistence is unlikely based on information available.					

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

O rama and I	
Component	log Pow
	·

Ethylene c	dichloride	1.45
	13. Disposal c	onsiderations
Waste Disposal Methods	Chemical waste generator	s must determine whether a discarded chemical is classified as a

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Ethylene dichloride - 107-06-2	U077	-

	14. Transport information
DOT	
UN-No	UN1184
Proper Shipping Name	ETHYLENE DICHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	ll
<u>_TDG</u>	
UN-No	UN1184
Proper Shipping Name	ETHYLENE DICHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	ll
IATA	
UN-No	UN1184
Proper Shipping Name	ETHYLENE DICHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	ll
IMDG/IMO	
UN-No	UN1184
Proper Shipping Name	ETHYLENE DICHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethylene dichloride	107-06-2	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Ethylene dichloride	107-06-2	Section 4

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethylene dichloride	107-06-2	Х	-	203-458-1	Х	Х	Х	Х	Х	KE-10121

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Ethylene dichloride	107-06-2	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ethylene dichloride	Х	100 lb	Х	Х

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Ethylene dichloride	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Ethylene dichloride	100 lb 1 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethylene dichloride	107-06-2	Carcinogen	10 µg/day	Carcinogen
ILC State Dight to Know				

U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene dichloride	Х	Х	Х	Х	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Y	
DOT Marine Pollutant	Ν	
DOT Severe Marine Pollutant	Ν	

U.S. Department of Homeland This product does not contain any DHS chemicals.

Security

ity

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ethylene dichloride	Carcinogenic Category 1B, Article 57		SVHC Candidate list - Carcinogenic,
	Application date: May 22, 2016	(see link for restriction details)	Article 57a

Sunset date: November 22, 2017	Use restricted. See item 75.	
Exemption - None	(see link for restriction details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethylene dichloride	107-06-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethylene dichloride	107-06-2	Not applicable	Not applicable	Х	Annex I - Y45

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	04-Feb-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS